State of California—Environmental Protection Agency
Form Approved OMB No. 2050–0039 (Expires 9-30-94)
Please print or type. Form designed for use on elite (12-pitch) typewriter.

### See Instructions on back of page 6.

Department of Toxic Substances Control Sacramento, California

P.,	in or type. Form designed for ose on one (12 pine	1. Generator's US EPA ID No.	Manifest Document	t No. 2. Page 1	Information in the shaded areas
	UNIFORM HAZARDOUS	***	1		is not required by Federal law.
l	WASTE MANIFEST	C A D 0 8 6 5 1 0	005 870	0 2 of 1	Property
	3. Generator's Name and Mailing Address	man and an analysis of the state of the stat	1-10-06-59	A. State Manifest Document	
٠	Douglas Aircraft Company, Attn 19503 South Normandie Avenue	: ROD IUEN CO-ST	COME, CO J.		93387002
				8, State Generator's ID	SOSESSE
ļ	4. Generator's Phone ((310)) 533-792			n Amu J	
١	5. Transporter 1 Company Name	6. US EPA ID	Number	C. State Transporter's ID	
	Laidlaw Environmental Services	sofCA Inc. CA DIO	010101813111211	D. Transporter's Phone	(310) 518- 4700
1	7. Transporter 2 Company Name	8. US EPA ID	0 0 0 8 3 1 2 1 <sub>-</sub> Number	E. State Transporter's 1D	
				F. Tremsporter's Phone	
	9. Designated Facility Name and Site Address	10. US EPA ID	Number	G State Facility's ID	
	BROCO Environmental Inc.	10. 00 11 7 10	The state of the s	CIMHORI	20 22 148
	2610 North Alder 25011-15-9	4		H. Padility's Phone	
	Platto . CA 920749237	7 CATO	80022148		(909) 350-0580
-	11. US DOT Description (including Proper Ship	ping Name, Hazard Class, and ID N	umber) 12. Com	tainers 13. Total Type Quantity	14. Unit Wt/Vol 1. Waste Number
	a			DM	Store : A Land
	Rổ, Waste ammonium n			AUGA, ADMINA	EPA/Other
,	NA2072, PG III (D001, D	(003)	001	00228	EPA/Other (D/10)1
	b.			15-41	State
				l"	EPA/Other
	199				
•	c.				State
,					EPA/Other
	d		THE PROPERTY OF THE PROPERTY O		State
	<b>a.</b>		and the second		(大型型型) E.T. 医精工器
					EPA/Other
	J. Additional Descriptions for Materials Listed	Above		K. Handling Codes for Was	tes Listed Above
	l la Ammontum nitrate fertilizer	Additional code D003			<b>6.</b> 1972 12 14 15 15 15 15 15 15 15 15 15 15 15 15 15
				14410H	
	+ BD0901	02261			
	15 Special Handling Instructions and Addition	al Information			
	24 Hour emergency teleph	one number ( 800) 4	24-9300 (Chemtre	ec). DOT ERG# 1	1a) 43
			•		
-	16. GENERATOR'S CERTIFICATION: I hereb	by declare that the contents of the cor	signment are fully and accuratel	ly described above by proper	shipping name and are classified,
	packed, marked, and labeled, and are in	all respects in proper condition for tro	ansport by highway according to	applicable federal, state and	l international laws.
	If I am a large quantity generator, I cert	tify that I have a program in place	to reduce the volume and toxic	city of waste generated to th	e degree I have determined to be
ļ	economically practicable and that I have threat to human health and the environme	selected the practicable method of to	reatment, storage, or disposal cu	urrently available to me which	h minimizes the present and tuture
	waste management method that is availab	le to me and that I can afford.		<u> </u>	
	Printed/Typed Name	Signature	DIA BOT.	00 0	Month Day Year
<u>/</u>	Robert G. Tuell, Jr.  17. Transporter 1 Acknowledgement of Receip	at of Materials	Green D. Jr	rect, yr.	
	Printed/Typed Name	Signature		<b>-</b>	Month Day Year
۱ 5	hee HArris		restan	<u> </u>	11/11/5/7/4
2	18. Transporter 2 Acknowledgement of Receip		J		Month Day Year
E	Printed/Typed Name	Signature			Tricking pay redi
	19. Discrepancy Indication Space				
F	1114- Rémove DOO3				
2					
l L					
  عوابي]	20. Facility Owner or Operator Certification o	f receipt of hazardous materials cover Signature		noted in Item 19.	Month Day Year
r e	LOSE QUEEN ARELLA	C) S			11/11/5/94
	1 3 C J S W/ MCGAR LIVELLA	DECLET.		The second secon	

DO NOT WRITE BELOW THIS LINE.

93387002 E CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-755

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPO

b	Robert G. Tuell, Jr.	Rolet D. Juell G. 111/15/91	4
<u> </u>	17. Transporter 1 Acknowledgement of Receipt of Materials		
A	Printed/Typed Name	Signature - Month Day Year	ır.
N S P	heepstris	Trutamo 11/11/5/91	4
ò	18. Transporter 2 Acknowledgement of Receipt of Materials		ŧ.
K T	Printed/Typed Name	Signature Month Day Year	r
E R			
	10 Discrepancy Indication Space		

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Month Day Year

DO NOT WRITE BELOW THIS LINE.

ö

CASE

Z



2824 North Locust Ave. Rialto, California 92377

### CALIFORNIA LAND DISPOSAL RESTRICTION NOTIFICATION

	Generator Fator Name	Information Dougla	s Arrandt Compan	. wy	EPA IDS	CAD086510005
			Normandie A			
	TON			State: _CA		2ip: 70502
4. Prof	ile Number	: 02251	Manifest Numb	er: <u>87002/933</u>	87002	Acceptance Number:
The wast	e identific subject to	ed on the above the Land Dis	e referenced manifes	et and bearing the Ca of CCR. Title 22. Div	lifornia w ision 4.5	mate number(s) identified Chapter 18.
		entification umber(s) 14(				
Check th	e appropri	ate lines. Mo	re than one line may	apply.		
_X 1.	_	ulated waste.				
			n CCR. Title 22, 662			en identidied in
	CCR, Tit	lm 22, 66268.1	06(a)(4)	se waste from non-fo		
4.	<b>g</b> s8yon8€	waste from for	undries identified i	л CCR, Title 22, 662	68.106(a)(	5).
				CCR, Title 22. 6626		)
	Auto shr	adder waste id	entified in CCR. Tit	le 22, 66268.106(a)(	1). 10 72 667	EB 107/-\
	NON-KCKA	metal-contain	ing aqueous waste 10	entified in CCR, Tit	te se, oosi	ition effective date 1/1/95
						.106(a)(3). Prohibition effective
	date 1/1/		,		,	200(2)(2)
10	. Non-RCRA	aqueous and 1	iquid waste containi or 8270: identified	ng any organic compos in CCR, Title 22, 60	und identi: 6268.112.	fied by EPA Test Methods 8080, Prohibition effective date 1/1/9
11	. Non-RCRA	solid waste co	ontaining any organi		d by EPA To	est Mehtods 8080, 8140, 8150, 824
12	. Other Mor	-RCRA, Califor	nia regulated waste	, category includes :	lab packs.	California extremely small and Safety/Code Section 25179.9
PART III Check the	appropris	ita lines. Mor	e than one line may	apply.		
<u> </u>		waste identifi on Notification		ndled in accordance v	with the at	tached EPA Land Disposal
2.	The Waste	-	ove must be treated	to meet the applical	ble standar	ds in CCR. Title 22, Division 4.
3.	-			cable treatment stand	dard.	
	analysis complies I believe significa	and testing or with the treat that the info ant penalties f	through knowledge ( ment standards spec ermation I submitted	of the waste to suppositied in CCR, Title 2 is true, accurate, 4	ort this co 22, Divisionand complet	miliar with the waste through extification that the waste on 4.5 , Chapter 18, Article II. ie. I am aware that there are a possibility of a fine and
,	imprisons		ware is subject to t	unaianen Mha are-t-		of the variance is .
—— ··		•	-	ective date from Part		
5.				currently restricted		
PART IV:	Generator	Certification	1			
			ation supplied above that no omnissions of		od document	e is true, complete and accurate
Signature	Role	t 8 9	well, Jr.	Date: //	-15-9	4
Print of	Type Name:	Robert	G. Tue	11, Jr.		•
Title:	Senio	Plan	t Enginee	r		<u>-</u>
	S.9		J	RONMENTAL	SOCO ENNIE	104 69 '94 03:57PM BR

· Santa Santa Santa



## RESTRICTED WASTE NOTIFICATION & CERTIFICATION

Generator: Douglas Aircraft Company Manifest Document Not 87003  E.E.I. Profile Not 02251 Treatability Group: (check one)  This shipment contains waste(s) restricted from land disposal under 40 CFR Part 268 and 0	F State Manifest Me	0: 733 87000
This shipment contains waste(s) restricted from land disposal under 40 CFR Part 268 and O	Wastewater	Non-Wasiewater
SPACES ON THE FRONT AND BACK OF THIS FORM.	OAC Chapter 3745-39. Mai	rk ALL APPLICABLE
A. RESTRICTED WASTE REQUIRING TREATMENT This shipment contains restricted wastes that must be treated to comply with the apprior to land disposal (see reverse side for F001 - F005, & California list was  Solvent bearing waste (F001 - F005) Waste Code(s)  Other (complete, table below) Waste code(s)  Dool Doo 3 Appendix	ste(s) (Mork all that appl California List Waste (	ly). Code(s)
B. RESTRICTED WASTE SUBJECT TO VARIANCE (complete table below) Waste This shipment contains a restricted waste subject to a nationwide variance that	: Code(5)	
C. RESTRICTED WASTE THAT CAN BE LANDFILLED WITHOUT FURTHER	-	ite the table below)
This shipment contains a restricted waste that meets the applicable treatment at landfilled without further treatment. I have attached all available supporting "I certify under penalty of law that I personally have examined and am familia or through knowledge of the waste to support this certification that the waste of in 40 CFR part 268 Subpart D, Rules 3745-59-40 to 3745-39-44 of the Administrative code or RCRA I submitted is true, accurate and complete. I am aware that there are significant including the possibility of a fine and imprisonment".  Evaluation of this waste is based upon:	data.  ar with the waste through complies with the treatmer rative Code, and all application 300(d). I believe int penalties for submitting dge of waste (materials use the table below) Waste coder with the treatment technism inquiry of those industrials has been operated and abpart D (and) in Rules 3	a analysis and testing at standards specified cable prohibitions set that the information g a false certification, ed/process employed) de(s) nology and operation dividuals immediately maintained properly 1745-59-40 to 3745-59-
ao as to comply with the performance levels specified in 40 CFR part 268 sub 44 of the Administrative Code, and all applicable prohibitions set forth in 40 Administrative Code or RCRA section 3004(d) without impermissible dilution of are significant penalties for submitting a false certification, including the possible 11-15-94.  E. RESTRICTED WASTES FOR WHICH THE TREATMENT STANDARD IS EXPRE THE WASTE HAS BEEN TREATED BY THAT TECHNOLOGY (complete the table below) Waste code(s) 11-15-9.  To certify under penalty of law that the waste has been treated in accordance rule 3745-59-42 of the Administrative Code. I am aware that there are significant including the penalty of the Administrative Code.	f the prohibited waste. I sibility of fine and imprises the second of th	am aware that there consider.  TECHNOLOGY (AND of 40 CFR 268.42 and
44 of the Administrative Code, and all applicable prohibitions set forth in 40 Administrative Code or RCRA section 3004(d) without impermissible dilution of are significant penalties for submitting a false certification, including the possible 11-15-94.  E. RESTRICTED WASTES FOR WHICH THE TREATMENT STANDARD IS EXPRE THE WASTE HAS BEEN TREATED BY THAT TECHNOLOGY (complete the table below) Waste code(s)	f the prohibited waste. I sibility of fine and imprises the second of th	am aware that there consider.  TECHNOLOGY (AND of 40 CFR 268.42 and
44 of the Administrative Code, and all applicable prohibitions set forth in 40 Administrative Code or RCRA section 3004(d) without impermissible dilution of are significant penalties for submitting a false certification, including the possibility of the TREATMENT STANDARD IS EXPRET THE WASTE HAS BEEN TREATED BY THAT TECHNOLOGY (complete the table below) Waste code(s) That Technology (comple	f the prohibited waste. I sibility of fine and imprises the second of th	am aware that there consider.  TECHNOLOGY (AND of 40 CFR 268.42 and a false certification.
44 of the Administrative Code, and all applicable prohibitions set forth in 40 Administrative Code or RCRA section 3004(d) without impermissible dilution of are significant penalties for submitting a false certification, including the possibility of the TREATMENT STANDARD IS EXPRET THE WASTE HAS BEEN TREATED BY THAT TECHNOLOGY (complete the table below) Waste code(s)  To certify under penalty of law that the waste has been treated in accordance rule 3745-59-42 of the Administrative Code. I am aware that there are significant including the possibility of fine and imprisonment.  LUS EFA SUBCATEGORY PERFORMANCE BASED TREATMENT STD. (cheek end)  LUS EFA SUBCATEGORY PERFORMANCE BASED TREATMENT STD. (cheek end)  LUS EFA SUBCATEGORY PERFORMANCE BASED TREATMENT STD. (cheek end)	f the prohibited waste. I sibility of fine and imprises the second of th	am aware that there contient.  TECHNOLOGY (AND of 40 CFR 265.42 and a false certification,  TREATABLUTY CROUP Wastewarer or
44 of the Administrative Code, and all applicable prohibitions set forth in 40 Administrative Code or RCRA section 3004(d) without impermissible dilution of are significant penalties for submitting a false certification, including the possibility of the TREATMENT STANDARD IS EXPRET THE WASTE HAS BEEN TREATED BY THAT TECHNOLOGY) (complete the table below) Waste code(s) (complete the table below) Waste co	f the prohibited waste. I sibility of fine and imprises the second of th	am aware that there contient.  TECHNOLOGY (AND of 40 CFR 265.42 and a false certification,  TREATABLUTY CROUP Wastewarer or
44 of the Administrative Code, and all applicable prohibitions set forth in 40 Administrative Code or RCRA section 3004(d) without impermissible dilution of are significant penalties for submitting a false certification, including the possibility of the TREATMENT STANDARD IS EXPRET THE WASTE HAS BEEN TREATED BY THAT TECHNOLOGY) (complete the table below) Waste code(s) (complete the table below) Waste co	f the prohibited waste. I sibility of fine and imprises the second of th	am aware that there contient.  TECHNOLOGY (AND of 40 CFR 265.42 and a false certification,  TREATABLUTY CROUP Wastewarer or
44 of the Administrative Code, and all applicable prohibitions set forth in 40 Administrative Code or RCRA section 3004(d) without impermissible dilution of are significant penalties for submitting a false certification, including the possibility of the TREATMENT STANDARD IS EXPRET THE WASTE HAS BEEN TREATED BY THAT TECHNOLOGY) (complete the table below) Waste code(s) (complete the table below) Waste co	f the prohibited waste. I sibility of fine and imprises the second of th	am aware that there contient.  TECHNOLOGY (AND of 40 CFR 265.42 and a false certification,  TREATABLUTY CROUP Wastewarer or
44 of the Administrative Code, and all applicable prohibitions set forth in 40 Administrative Code or RCRA section 3004(d) without impermissible dilution of are significant penalties for submitting a false certification, including the possibility of the Administrative Code of the Administrative Code. I am aware that there are significant including the possibility of fine and imprisonment.  LIS EFA SUBCATEGORY PERDEMANCE SASED TREATMENT STD. (cheek and)  DOO! Oxidiar	f the prohibited waste. I sibility of fine and imprises the second of th	am aware that there contient.  TECHNOLOGY (AND of 40 CFR 265.42 and a false certification,  TREATABLUTY CROUP Wastewarer or
44 of the Administrative Code, and all applicable prohibitions set forth in 40 Administrative Code or RCRA section 3004(d) without impermissible dilution of are significant penalties for submitting a false certification, including the possibility of the TREATMENT STANDARD IS EXPRET THE WASTE HAS BEEN TREATED BY THAT TECHNOLOGY) (complete the table below) Waste code(s) (complete the table below) Waste co	f the prohibited waste. I sibility of fine and imprises the second of th	am aware that there contient.  TECHNOLOGY (AND of 40 CFR 265.42 and a false certification,  TREATABLUTY CROUP Wastewarer or
44 of the Administrative Code, and all applicable prohibitions set forth in 40 Administrative Code or RCRA section 3004(d) without impermissible dilution of are significant penalties for submitting a false certification, including the possibility of submitting a false certification, including the possibility of the Administrative Code of the Administrative Code of the Administrative Code. I am aware that there are significant including the possibility of fine and imprisonment.  13 EPA SUBCATEGORY PERFORMANCE BASED TRAIMENT STD. (cheek and)  14 Control of the Administrative Code. I am aware that there are significant including the possibility of fine and imprisonment.  15 EPA SUBCATEGORY PERFORMANCE BASED TRAIMENT STD. (cheek and)  16 Control of the Administrative Code. I am aware that there are significant contains only the wastes specified in Appendix IV CERTIFICATION  20 Contains only the wastes specified in Appendix IV part 265 and in Appendix I or wastes not subject to regulation under Chapter 3745-31 of the Administrative under 40 CFR Part 261. I am aware that there are significant penalties for submitted of fine or imprisonment.  APPENDIX V CERTIFICATION	f the prohibited waste. I sibility of fine and imprises the second imprises of the submitting of the requirements of the penalties for submitting specific for submitting a false certification, in submitting a false certification, in	am aware that there consider.  TECHNOLOGY (AND of 40 CFR 268.42 and g a false cerufication.  TREATABLETY CROUP Wastewater or Non-Wastewater or Non-Wastewater at Administrative Code to subject to regulation including the possibility.
Administrative Code or RCRA section 3004(d) without impermissible dilution of are significant penalties for submitting a false certification, including the possibility of are significant penalties for submitting a false certification, including the possibility of the MASTES FOR WHICH THE TREATMENT STANDARD IS EXPRETHE WASTE HAS BEEN TREATED BY THAT TECHNOLOGY)  (complete the table below) Waste code(s)  "I certify under penalty of law that the waste has been treated in accordance rule 3745-59-42 of the Administrative Code. I am aware that there are significant including the possibility of fine and imprisonment.  US EPA  WASIE CAST.  SUBCATEGORY  PERFORMANCE BASED TREATMENT STD.  (check and)  2244(a)  MAAMA)  DOOL  Oxidiz*  DOOL  Oxidiz*  POOL  APPENDIX IV CERTIFICATION  a) I certify under penalty of law that I personally have examined and am contains only the wastes specified in Appendix IV part 265 and in Appendix I or wastes not subject to regulation under Chapter 3745-51 of the Administrative under 40 CFR Part 261. I am aware that there are significant penalties for submitted of fine or imprisonment.	f the prohibited waste. I sibility of fine and imprises the second imprises for submitting and second imprises for submitting a familiar with the waste in the second imprises for solid wastes not subject to regularity organic wastes specification, in wastes not subject to regularity organic wastes specification wastes not subject to regularity organic code. I am	am aware that there consider.  TECHNOLOGY (AND of 40 CFR 268.42 and g a false certification.  TREATABILITY CROUP Wastewater or Non-Wastewater or Non-Wastewater to subject to regulation cluding the possibility through analysis and d in appendix V part ulation under 40 CFR aware that there are

# F001-F005 Spent Solvent Treatment Standards (mark all that apply).

	Nonwasi TCLP mg/l	tewater Treatme Specified Technology	nt Standards Total mg/kg	Wastewaster Treatment Standards Specified Total Technology mg/1
Constituent 4	CPR 268.41 (a)	40 CFR 268.42	40 CFR 268.43 (a)	40 CFR 268.42 40 CFR 268.43 (a)
Acutone (F003)			160	0:28
Benzana (F005)			3.7	0.07
N Butyl Alcohol (F003)			2.6	5.6
Carbon Disulfide (F005)	4.8		£.4	0.014
Carbon Tetrachloride (F001)	4.0		5.6	0.057
Chlorobenzene (F002)			5.7	0.057
Cresols (m & p isomers) (FC	n41		3.2	0.77
O Cresols (F004)	~~,		5.6	0.11
Cyclohexanone (F003)	0.75		J.9	0.36
1,2 Dichlorobenzene (F002)		<b>:</b>	6.2	0.088
Ethyl Acetate (F003)	•		. 33	0.34
Ethyl Benzene (F003)	• •	- 1 - P	· · · 6.0	0.057
Ethyl Ether (P003)		•	160	0.12
Z Ethoxyethanol (F005)		INCIN		BIOG et INCIN
Isobutanoi (F005)			170	5.6
Methanol (F003)	0.75		• •	5.6
Methylene Chloride (F001 F0	QZ)		33	0.089
Methyl Ethyl Ketone (F005)			36	0.28
Methyl Isobutyl Ketone (F003	3)		33	0.14
Nitrobenzene (F004)			14	0.068
2. Nitropropane (F005)		INCIN	•	(WETOX or CHOXD) & CARBN or INCIN
Pyridine (FOQS)			16	0.014
Tetrachioroethylene (F001 F00	2)		. 5.6	0.056
Toluene (F005)			28	. 0.08
1,1,1 Trichloroethane (F001 F	002)		. <b>5.</b> 6	0.054
1,1,2 Trichloroethane (F002)			7.6	0.030
1.1,2 Trichoro-1,2,2 Trifluoroeth	ane (F001 F002)		28	0.057
Trichiorouthylene (F001 F002)			5.6	0.054
Trichlorofluoromethane (F002)			33	· 0.02
Xylenes (Total) (F003)			28	0.32

## California List Treatment Standards (mark all that apply)

Constituent	Prohibition Level	Treatment Standard		
Liquid or Solid Hazardous Waste Containing HOC's	Liquid ≥ 1000 mg/1	INCIN 40 CFR 268.42 (a) (2)		
listed in 40 CFR 268 Appendix III	Solid ≥ 1000 mg/kg			
Liquid Hazardous Waste containing PCB's	≥ 50 p <del>ym</del>	INCIN or F5UBS 268.42 (a) (1)		
Liquid Hazardous Waste containing Cyanides	2 1000 mg/1 Free Cyanides	RCRA Section 3004 (d)		
Liquid Hazardous Waste containing Arsenics	≥ 500 mg/1	RCRA Section 3004 (d)		
Liquid Hazardous Waste containing Cadmium	≥ 100 mg/1	RCRA Section 3004 (d)		
Liquid Hazardous Waste containing Chromium	≥ 500 mg/I	RCRA Section 3004 (d)		
Liquid Hazardous Waste containing Lead	≥ 500 mg/l	RCRA Section 3004 (d)		
Liquid Hezardous Waste containing Mercury	≥ 20 mg/l	RCRA Section 3004 (d)		
Liquid Hazardous Waste containing Nickel	≥ 134 mg/1	RCRA Section 3004 (d)		
Liquid Hazardous Waste containing Selenium	≥ 100 mg/1	RCRA Section 3004 (d)		
Liquid Hazardous Waste containing Thallium	≥ 130 mg/1	RCRA Section 3004 (d)		
Liquid Hazardous Waste Acid	pH ≤ 2.0	40 CFR 268.32 (a)		

Environmental Enterprises Inc. Restricted Waste Noufication Form 03 November, 1992.

: 62377

#### INITIAL ISOLATION PROTECTION TABLES FOR SELECTED HAZARDOUS MATERIALS

The table gives suggested distances for ISOLATING unprotected people from spill areas involving the hazardous materials shown, **IF THE LISTED MATERIAL IS NOT ON FIRE**. If the material is on fire, refer to the 2-digit Guide.

These materials were selected because their vapors have the potential to produce poisonous effects. The table is useful for no more than the first 30 minutes of an incident involving these materials. There are several good reasons for suggesting that the use of the table be limited specifically to the initial phase of a <u>no-fire</u> spill incident during transport.

# D.O.T. EMERGENCY RESPONSE GUIDE 43

No chemicals appear in Table of Isolation and Protective Action Distances which are assigned to this Guide number.

If the chemical name and ID Number the shipper entered on the front of this form match a name from this list, and NO FIRE exists, you must:

determine if the incident involves a small or large spill; look up the isolation distance; (Direct all person to move in a crosswind direction, away from the spill, to that distance.) look up the initial PROTECTIVE ACTION DISTANCE in the table. (For practical purposes, the Protective Action Zone is a square whose length and width are the same as the downwind distance shown in the table.)

WHEN APPROACHING THE SCENE OF AN ACCIDENT INVOLVING ANY CARGO (NOT ONLY REGULATED HAZARDOUS MATERIALS):

APPROACH INCIDENT FROM AN UPWIND DIRECTION, IF POSSIBLE

- MOVE AND KEEP PEOPLE AWAY FROM INCIDENT SCENE
- DO NOT WALK INTO OR TOUCH ANY SPILLED MATERIAL
- AVOID INHALING FUMES, SMOKE AND VAPORS EVEN IF NO HAZARDOUS MATERIALS ARE INVOLVED
- DO NOT ASSUME THAT GASES OR VAPORS ARE HARMLESS BECAUSE OF LACK OF SMELL—ODORLESS GASES OR VAPORS MAY BE HARMFUL

As a first responder at the scene of a hazardous materials incident, seek additional and more specific information about any material in question as soon as possible. This Guide Page is not intended for use during the cleanup phase for spilled materials, nor should it be used to determine compliance with any regulations. This information on this Emergency Response Form should be augmented by expert technical advice as soon as you have assessed the situation and have seen to the immediate needs of the people involved.

FOR FURTHER INFORMATION REFER TO DOT P 5800.5 (EMERGENCY RESPONSE GUIDEBOOK) AND TITLE 49 CODE OF FEDERAL REGULATIONS.



### D'OT EMERGENCY RESPONSE GUIDE 43

**++++** 

(FOLD ON DOTTED LINE-STAPLE TO HAZARDOUS MATERIALS SHIPPING PAPER)

Use basic description and technical name as description	ribed in 49 CFR 172.202 and 172.203 (K).
Basic Description:	
Technical Name(s):	GUIDE
24 hr Emergency Contact Tel No ·	FORM

# D.O.T. EMERGENCY RESPONSE GUIDE 43

#### **POTENTIAL HAZARDS**

#### FIRE OR EXPLOSION

May ignite other combustible materials (wood, paper, oil, etc.). Mixture with fuels may explode. Container may explode in heat of fire. May explode from heat or contamination. Runoff to sewer may create fire or explosion hazard.

#### **HEALTH HAZARDS**

Contact may cause burns to skin and eyes.
Fire may produce irritating or poisonous gases.
Runoff from fire control or dilution water may cause pollution.

#### **EMERGENCY ACTION**

Keep unnecessary people away; isolate hazard area and deny entry. Stay upwind; keep out of low areas.

Positive pressure self-contained breathing apparatus (SCBA) and chemical protective clothing which is specifically recommended by the shipper or manufacturer may be worn. It may provide little or no thermal protection. Structural firefighters' protective clothing is not effective for these materials. Isolate for 1/2 mile in all directions if tank, rail car or tank truck is involved in fire.

CALL CHEMTREC AT 1-800-424-9300 FOR EMERGENCY ASSISTANCE. If water pollution occurs, notify the appropriate authorities.

#### FIRE

Small Fires: Water only; no dry chemical, CO2 or Halon.

Large Fires: Flood fire area with water from a distance.

Do not move cargo or vehicle if cargo has been exposed to heat.

Apply cooling water to sides of containers exposed to flames until well after fire is out.

For massive fire in cargo area, use unmanned hose holder or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

#### SPILL OR LEAK

Keep combustibles (wood, paper, oil, etc.) away from spilled material. Fully-encapsulating, vapor-protective clothing should be worn for spills and leaks with no fire.

Do not touch or walk through spilled material; stop leak if you can do it without risk.

Use water spray to reduce vapors.

Small Spills: Take up with sand or other noncombustible absorbent material and place into containers for later disposal.

Large Spills: Dike liquid spill for fater disposal.

#### FIRST AID

Move victim to fresh air; call emergency medical care. In case of contact with material, immediately flush skin or eyes with running water for at least 15 minutes.

Remove and isolate contaminated clothing and shoes at the site.

Information on this Guide Page is from the 1990 Emergency Response Guidebook Dot P 5800.5. It applies only to the basic Description and Technical Name entered by the shipper at the top of this form.

Check to see whether the shipper commodity (Basic description entered at the top of this form) is listed by I.D.# and NAME OF THE MATERIAL in the Table of Initial Isolation and Protective Action Distances. This Table is partially reproduced on the back of this Guide Page to reflect only commodities assigned to this Guide Number. Use this information from the table in addition to the Guide Page IF THERE IS NO FIRE.

READ AND CHECK THE NAMES AND NUMBERS CAREFULLY BECAUSE COMPLETELY DIFFERENT HAZARDOUS MATERIALS CAN HAVE NAMES AND/OR NUMBERS WHICH ARE ALMOST THE SAME!

ERF 43 Printed by Labelmaster, An American Labelmark Co., Chicago, IL 60646 (800) 621-5808

#### **WORK ORDER**



221 E. "D" ST. • P.O. Box 1175 WILMINGTON, CA 90748-1175 (310) 518-4700 • (800) 955-5359

240120

**BILLING ADDRESS** 

WORK ORDER NO. 12770

SERVICE ADDRESS DOUGLAS AIRCRAFT
190TH X NORMANDIE
TOR RANCE, CA

				· ·				
						14		
						*		
						•		
ORDER DATE DA	ATE TO BE DONE CUSTO	OMER P.O. #	ORDERED BY	TEI	LEPHONE#	CONTAI	CT PERSON	
	·· lu-hii		7000					
1.2	1115 1161		1 1 1 1 2 5 1 1 1 1	CMAJAMOL				
17	111-111		1) 111- 0	ノレップにもらり				
DED DI	n	STAGNIT	CUSTOMER'S FRA	* CHETOM	P'S BD OF FOLIAL #	CONTAC	T PHONE #	

1 P/4 HAUL OF DRUM TO BROCCO

	. •					
DRIVER COMPLETI						
SERVICES PERFOR	RMED PICK UP C	NE Drums				
	CE DOUGLAS		8x60C0			
	Al AS DIRECT	,				
Nato					e e	e e e e e e e e e e e e e e e e e e e
START 5/5 TIME 5/5 Manifest Number		_ES N	END MILESN	TRUCK 80.5  Drivers Na	TRAILER NUMBER	- Laur
1ments <u>DePA</u> A+ 840	Rtal At 515, AND 5/AND	AM ARRIVE	A A + 545A	n Departed	FOR DISP	>\$A
In the event of any litiga sonable attorney's fees,	ation arising out of this agree	eement or any transa	ction contemplated her	reby, the prevailing p	arty shall be en	titled to rea-
NOT AN INVOICE - BILLIN	IG WILL FOLLOW	Custome	r Signature Rober	t & Tuell	Jr. 11-15	7-94

## PRICING INSTRUCTIONS - DRUMS Cipologi Hrs. Ø Per Hr. Project Manager Hrs. @ Per Hr. First Technician Hrs. @ Per Hr. Second Technician Hrs. @ Per Hr. t a Third Technician Hrs. @ Per Hr. Fourth Technician ... Hrs. @ Per Hr. Fifth Technician Hrs. © Per Hr. Truck # Hrs. @\_\_\_ Truck # Hrs. @ Per Hr. Truck # Hrs. @ Per Hr. STEEL A TOM AUTOM 8454 39 QUES - 41 Sundays, Holidays, and After Hours @ \_\_\_\_\_ CARPERITY. TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY 5 Gal. Cans Liquid @ Each 5 Gal. Cans Solid @\_\_\_\_ Each 5 Gal. Cans Lab Packed @ \_\_\_\_\_ Each 55 Gal, Drums Liquid @ Each 55 Gal, Drums Solid @ \_\_\_\_\_ Each 55 Gal. Drums Lab Packed \_\_\_\_\_ Each Empty 5 Gal. Cans @\_\_\_\_\_ Each Empty 55 Gal. Cans @ Each County Tax\_ MATERIALS USED \_\_\_\_\_5 Gal. Cans @\_\_\_\_ 55 Gal. Drums @ \_\_\_\_\_ Each Recovery Drums @ \_\_\_\_\_ Each Bags Vermiculite @ \_\_\_\_\_ Each \_\_\_\_ Bags (Other Describe) @ \_\_\_ Hazardous Waste Labels @ \_\_\_\_\_ Each Each \_\_\_\_\_ Drum Liners @ \_\_ Safety Equipment Number of Sets PRICING INSTRUCTIONS - PUMPING Compensation Hrs. @ Per Hr. Washout Fee **Dump Fee**

TOTAL

LAIDLAW ENVIRONMENTAL SERVICES LKINT

221 E. "D" ST. • P.O. Box 1175 WILMINGTON, CA 90748-1175 (310) 518-4700 • (800) 955-5359

TOMER/ACCT. NO

240120

**BILLING ADDRESS** 

WORK ORDER NO.

12814

SERVICE ADDRESS

DOUGLAS

190Th & NORMANCIA

TORNANCE

ORDER DATE DATE TO BE DONE	CUSTOMER P.O. # ORDERED BY	TELEPHONE# CONTACT PERSON
11-16-04		
//-/0-4 7		
REP. DIV.#	DEPARTMENT CUSTOMER'S EPA#	CUSTOMER'S BD OF EQUAL# CONTACT PHONE #

WORK ON SITE 16044 4050

Leque Trailer 16040 ST. on site)

DRIVER COMPLETE:		•	
SERVICES PERFORMED JONK	259 and 258 B R.	ne	
out and transpor	t to nome dispo	250/.	
(Sodium Hydroxide	· Sludge and With	27	
Tronsport to n	ornis disposal in		
Verrin. (no di	sposal today)	· · · · · · · · · · · · · · · · · · ·	
START 0530 STOP TIME	START 150 746 END MILES	TRUCK /6044	TRAILER 16040 ST.
Manifest Number	Date Completed	Drivers Name	ami Hu
omments $S/OO = 15$	Heavy - Wash o	ut takes 10	1 long
time. To	ruch (Sludge)		<u> </u>
Name of the second seco	, and the second se		

In the event of any litigation arising out of this agreement or any transaction contemplated hereby, the prevailing party shall be entitled to reasonable attorney's fees, expenses and costs.

NOT AN INVOICE - BILLING WILL FOLLOW

Customer Signature Jose' and ord 11-16-94

## PRICING INSTRUCTIONS - DRUMS Clasical Hrs. @ Per Hr. Project Manager\_\_\_\_\_ Hrs. @\_\_\_\_\_ Per Hr. First Technician Hrs. @ Per Hr. Second Technician Hrs. @ Per Hr. 1.5 Third Technician Hrs. @ Per Hr. Fourth Technician Hrs. @\_\_\_\_ Fifth Technician Hrs. © Per Hr. Truck # Hrs. @ Per Hr. Truck # Hrs. @ Per Hr. Truck # Hrs. @ Per Hr. STREET, WEST ASSESSMENT 8-48-26 (QUICE -- C. Sundays, Holidays, and After Hours @ \_\_\_\_\_ CAPARIT TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY 5 Gal. Cans Liquid @ \_\_\_\_\_ Each Each 5 Gal. Cans Solid @\_\_\_ 5 Gal. Cans Lab Packed @ \_\_\_\_\_ Each 55 Gal, Drums Liquid @ Each 55 Gal. Drums Solid @ \_\_\_\_\_ Each 55 Gal. Drums Lab Packed \_\_\_\_\_ Each Empty 5 Gal. Cans @\_\_\_\_\_ Each Empty 55 Gal. Cans @ Each County Tax\_ MATERIALS USED 5 Gal. Cans @ Each 55 Gal. Drums @ \_\_\_\_\_ Each Recovery Drums @ \_\_\_\_\_ Each Each Bags Vermiculite @ \_\_\_\_ Bags (Other Describe) @ \_\_\_\_ Hazardous Waste Labels @ Each Each Drum Liners @ \_\_\_\_\_ Safety Equipment Number of Sets PERCING INSTRUCTIONS - PUMPING Compensation Hrs. @ Per Hr. Washout Fee **Oump Fee**

TOTAL